



| TRAIL | EAS |
|------------------------|---------|
| TABLE OF CONT | ENTS |
| CARGO TRAILERS | Pg. 3 |
| TITAN | Pg. 5 |
| COBRA | Pg. 6 |
| LIBERTY | Pg. 7 |
| SE Models | Pg. 8 |
| AUTO TRAILERS | Pg. 9 |
| HERCULES | .Pg. 11 |
| RAPTOR | .Pg. 12 |
| SPORT TRAILERS | .Pg. 13 |
| PREDATOR | .Pg. 15 |
| APACHE | .Pg. 16 |
| OPEN UTILITY TRAILERS. | .Pg. 17 |
| | |

PHANTOM I & II Pg. 18

SPECIALTY TRAILERS....Pg. 19

OPTIONAL EQUIP.....Pg. 24

WELCOME TO STEALTH TRAILERS

Since our founding in 2008 Stealth Trailers has become the value and volume and quality leader in enclosed cargo trailers throughout the Midwest and beyond. From our inception, Stealth has been an innovator in the crowded cargo trailer space. Beginning with our first, cutting-edge, signature slant-wedge aerodynamic profile, now copied throughout the industry, Stealth Trailers were destined to be different.

The difference starts with providing our customers more value never an overused word at Stealth—we understand that when you're spending your hard-earned money, value is at the very top of your purchase priority.

We're committed to quality, innovation, smart use of the finest materials and great products sold through our professional dealer network.

Stealth Trailer brands are like no other. The Titan, Predator, Liberty and Raptor are established as uncompromised model brands—copied but never matched by our competition.































STEALTH TRAILERS CORE VALUES

- 1. We aspire to be the best.
- 2. We have credibility through communication.
- 3. We foster a team-first environment.
- 4. Enjoy the journey and make friends along the way.

LIBERTY SE **MUSTANG SE** TITAN **COBRA** LIBERTY

Stealth Trailers Notice:

Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers warrant appliances and other components. 3





** WHEN VERSATILITY IS ESSENTIAL.

The Stealth Trailer Cargo Line





Compare the Stealth Titan feature-for-feature to the competition and we crush them. For heavy-duty hauling and peace of mind, you won't find a better value than our most popular model.

Built with durability and longevity in mind, when you go with Stealth, you will remember the Titans.



TITAN FLAT TOP WEDGE FRONT

The Titan model is a premium cargo trailer designed for the rigors of heavy, daily use. The top-quality construction and impressive list of standard features make this a Titan of a trailer!

SPECIFICATION

* * * HIGHLIGHTS * * *

| | 4 x 6 SA | 5 x 8 SA | 5 x 10 SA | 6 x 10 SA | 6 x 12 SA | 7 x 14 TA | 7 x 16 TA | 8.5x20 TA2 | 8.5x32 TTA3 |
|-------------------------|----------|----------|-----------|-----------|-----------|-----------|-----------|------------|-------------|
| Overall Length | 9'-8" | 12'-0" | 14'-0" | 14'-0" | 16'-0" | 18'-0" | 20'-0" | 25'-0" | 37'-0" |
| Overall Width | 68" | 80" | 80" | 92" | 92" | 102" | 102" | 102" | 102" |
| Overall Height* | 5'-8" | 6'-8" | 6'-8" | 7'-8" | 7'-8" | 7'-10" | 7'-10" | 8'-5" | 8'-7" |
| Platform Height | 18" | 18" | 18" | 18" | 18" | 20" | 20" | 21" | 23" |
| Interior Height | 4'-0" | 5'-0" | 5'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-6" | 6'-6" |
| Interior Overall Length | 7'-8" | 9'-8" | 11'-8" | 11'-8" | 13'-8" | 16'-2" | 18'-2" | 22'-2" | 34'-2" |
| Interior Width | 45" | 57" | 57" | 69" | 69" | 81" | 81" | 96" | 96" |
| Payload Capacity | 1570 | 2240 | 2120 | 1915 | 1810 | 4970 | 4765 | 4090 | 10960 |

^{*}Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/C.



STANDARD FEATURES

- (1) Pair Plastic Flo-Thru Vents
- Seamless Aluminum Flat Top Roof
- 3" Heavy Duty Flat Top Trim
- Ramp Door with Flap or Rear Double Doors Standard
- ATP Fenders and Stone Guard
- Beavertail and (4) D Rings on 8.5'x14' and Above Models
- Stainless Steel Door Hardware
- 6" Barrier Tape
- .030 Screwless Aluminum Exteriors in 13 Color Options (No Additional Charge)
- All LED Lighting (Interior & Exterior)
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/titan

^{**}The above represents our most popular models. See your Stealth dealer to order custom sizes.



ALUMINUM

STANDARD FEATURES

- Ramp Door with Flap or Rear Double Doors Standard
- Framed for Roof Vent
- [1] Pair Plastic Flo-Thru Vents
- .030 Screwless Aluminum Exterior in 13 Color Options (No Additional Charge)
- Aluminum Wheels Standard
- Triple Tube A-Frame
- Seamless Aluminum Roof
- All LED Lighting (Interior & Exterior)
- ATP Fenders and Stone Guard
- Stainless Steel Door Hardware
- Beavertail and (4) D Rings on 8.5'x14' and Above Models
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/cobra



Look no further for a tough, easy-towing aluminum trailer. The Stealth Cobra is the most value-packed, affordable choice in the industry. Get the premium features you want in an all-aluminum unit without getting bit by the price! See why Cobra strikes the industry as the value leader in multi-use aluminum cargos.



| | 5 x 8 SA | 6 x 12 SA | 7 x 12 TA | 7 x 14 TA | 7 x 16 TA | 8.5 x 20 TA2 | 8.5x24 TA2 | 8.5x28 TA3 | 8.5x32 TTA3 |
|-------------------------|----------|-----------|-----------|-----------|-----------|--------------|------------|------------|-------------|
| Overall Length | 12'-0" | 16'-0" | 16'-6" | 18'-6" | 20'-6" | 25'-4" | 29'-4" | 33'-4" | 37'-4" |
| Overall Width | 80" | 92" | 102" | 102" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 6'-8" | 7'-8" | 7'-10" | 7'-10" | 7'-10" | 8'-5" | 8'-5" | 8'-5" | 8'-5" |
| Platform Height** | 18" | 18" | 20" | 20" | 20" | 21" | 21" | 21" | 21" |
| Interior Height | 5'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-6" | 6'-6" | 6'-6" | 6'-6" |
| Interior Overall Length | 9'-8" | 13'-8" | 14'-2" | 16'-2" | 18'-2" | 22'-8" | 26'-8" | 26'-8" | 26'-8" |
| Interior Width | 57" | 69" | 81" | 81" | 81" | 96" | 96" | 96" | 96" |

^{*} Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/Cs. ** Platform height drops 4" with 48" beavertail and drops 5" with 72" beavertail.

^{***}The above represents our most popular models. See your Stealth dealer to order custom sizes.



When versatility is essential, Liberty answers the call.

The classic lines of the Liberty trailer makes it the go-to utility base for commercial use. If you are a contractor, landscaper, construction or concessionaire, the Stealth Liberty can be outfitted and customized to meet all your needs. Here's why the Stealth Liberty is the versatile choice of so many professionals seeking financial freedom in a reliable trailer.



SPECIFICATION

* * * HIGHLIGHTS * * * Specifications for both Liberty and Liberty SE models. Certain applications may require frame upgrades.

| | 5 x 8 SA | 5 x 10 SA | 6 x 10 SA | 6 x 12 TA | 7 x 14 TA | 7 x 16 TA | 8.5 x 20 TA2 | 8.5 x 24 TA2 | 8.5 x 32 TTA3 |
|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|--------------|--------------|---------------|
| Overall Length | 12'-0" | 14'-0" | 14'-0" | 16'-0" | 18'-0" | 20'-0" | 24'-6" | 28'-6" | 36'-6" |
| Overall Width | 80" | 80" | 92" | 92" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 6'-10" | 6'-10" | 7'-10" | 7'-11" | 8'-1" | 8'-1" | 8'-9" | 8'-9" | 8'-11" |
| Platform Height** | 18" | 18" | 18" | 19" | 20" | 20" | 21" | 21" | 23" |
| Interior Height | 5'-0" | 5'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-6" | 6'-6" | 6'-6" |
| Interior Overall Length | 8'-5" | 10'-5" | 10'-5" | 12'-5" | 14'-5" | 16'-5" | 20'-6" | 24'-6" | 32'-6" |
| Interior Width | 57" | 57" | 69" | 69" | 81" | 81" | 96" | 96" | 96" |
| Payload Capacity | 2210 | 2120 | 1915 | 5220 | 4970 | 4765 | 4090 | 3510 | 9815 |

^{*} Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/Cs.



* * * POPULAR* * *

STANDARD FEATURES

- ATP Fenders and Stone Guard
- Seamless Aluminum Round Top Roof with .080 Aluminum Cove
- Framed for Roof Vent
- [1] Pair Plastic Flo-Thru Vents
- Ramp Door with Flap or Rear Double Doors Standard
- Beavertail and (4) D Rings on 8.5'x14' and Above Models
- Fiberglass Front Cap (Black or White)
- .030 Screwless Aluminum Exterior in 13 Color Options (No Additional Charge)
- 6" Barrier Tape
- Stainless Steel Door Hardware
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/liberty

^{**} Platform height drops 4" with 48" beavertail and drops 5" with 72" beavertail.

^{***}The above represents our most popular models. See your Stealth dealer to order custom sizes.





* * * POPULAR* * *

STANDARD FEATURES

- Ramp Door with Flap or Rear Double Door's Standard
- Beavertail, (1) Pair Plastic Flo-thru Vents and (4) D-rings on 8.5x14 and Above
- Stainless Steel Door Hardware
- Seamless Aluminum Roof

- ATP Fenders and Stone Guard
- .024 Exterior Aluminum in White, Black, Pewter, or Charcoal Gray
- SE models have 24" on Center Wall Post, Roof Bow and Floor Cross Member Spacing
- All LED Lighting (Interior & Exterior)
- Standard Radial Tires
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/mustang-se stealthtrailer.com/liberty-se



The Liberty SE is anything but an entry-level cargo trailer. With its round roof and slightly rounded front-end, it's a classic package with the benefits of modern materials.



|| mustang || se

Some would call the Stealth Mustang an "entry-level" trailer because of its price. But we've value packed the Mustang with so many added standard features it makes this cargo series a top seller.

Compare the Stealth SE models with our competition featurefor-feature and you'll see that these two Stealth fighters look good, have rugged construction, and are backed by the industry leader—Stealth Trailers.

MUSTANG SE



LIBERTY SE

* * * HIGHLIGHTS * *

| | 5 x 8 SA | 5 x 10 SA | 6 x 10 SA | 6 x 12 TA | 7 x 12 TA | 7 x 14 TA | 7 x 16 TA | 8.5 x 16 TA2 | 8.5 x 20 TA2 | 8.5 x 24 TA2 |
|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|--------------|--------------|
| Overall Length | 12'-0" | 14'-0" | 14'-0" | 16'-0" | 16'-0" | 18'-0" | 20'-0" | 21'-0" | 25'-0" | 29'-0" |
| Overall Width | 80" | 80" | 92" | 92" | 102" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 6'-8" | 6'-8" | 7'-8" | 7'-9" | 7'-10" | 7'-10" | 7'-10" | 8'-5" | 8'-5" | 8'-5" |
| Platform Height | 18" | 18" | 18" | 19" | 20" | 20" | 20" | 21" | 21" | 21" |
| Interior Height | 5'-0" | 5'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-6" | 6'-6" | 6'-6" |
| Interior Overall Length | 9'-8" | 11'-8" | 11'-8" | 13'-8" | 14'-2" | 16'-2" | 18'-2" | 18'-8" | 22'-8" | 26'-8" |
| Interior Width | 57" | 57" | 69" | 69" | 81" | 81" | 81" | 96" | 96" | 96" |
| Payload Capacity | 2240 | 2120 | 1915 | 5220 | 5175 | 4985 | 4765 | 4265 | 3825 | 3385 |

^{*} Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/Cs.

^{**}The above represents our most popular models. See your Stealth dealer to order custom sizes.



Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers warrant appliances and other components. 9



Viper Package is Available on Titan, Cobra, and Raptor

- Bull-nose Front End with 16" 0/C Roof Bows, Torsion Axle Upgrade, and 40"
 Spread Axles
- White Vinyl Ceiling Liner, Colored Coves and Header, and White Vinyl Board Walls
- Aluminum Wheels with Radial Tires
- [2] Aluminum Directional Sidewall Salem Vents (IPO Std Flo-Thru Vents)
- 4.5" Heavy Duty Automotive Bottom Trim and 3" Heavy Duty Automotive Top Trim
- Rear Flare with (2) Loading Lights
- 12V 40" LED Lights in Cove Moulding (IPO Std Dome Lights)
- RV Flush Lock with Barlocks and Hinges with Stainless Steel Hasps
- "Viper" Logos

"Leading in style and quality, Raptor gooseneck models give you a wide variety of sizes and towing capacity along with a massive list of standard features."





Stealth Hercules auto stackers stand head and shoulders above the competition. Hercules is value-packed with standard features at an attractive price—nobody challenges the Stealth Hercules.



SPECIFICATION ***HIGHLIGHTS***

| | 8.5 x24 TTA4 | 8.5 x26 TTA4 | 8.5 x28 TTA4 | 8.5 x28 TTA5 | 8.5 x30 TTA5 | 8.5 x32 TTA5 | 8.5 x34 TTA5 |
|-------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Overall Length | 28'-11" | 30'-11" | 32'-11" | 32'-11" | 34'-11" | 36'-11" | 38'-11" |
| Overall Width | 102" | 102" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 13'-2" | 13'-2" | 13'-2" | 13'-2" | 13'-2" | 13'-2" | 13'-2" |
| Platform Height** | 24" | 24" | 24" | 24" | 24" | 24" | 24" |
| Interior Height | 11'-0" | 11'-0" | 11'-0" | 11'-0" | 11'-0" | 11'-0" | 11'-0" |
| Interior Overall Length | 24'-2" | 26'-2" | 28'-2" | 28'-2" | 30'-2" | 32'-2" | 34'-2" |
| Interior Width | 96" | 96" | 96" | 96" | 96" | 96" | 96" |
| Payload Capacity | TBD |

* Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/C's. ** Platform height drops 4" with 48" beavertail and drops 5" with 72" beavertail.



* * * POPULAR* * *

STANDARD FEATURES

- 4 x 8-inch Tubular Steel Main Rails
- 11-foot Interior Height
- RV-style Door
- 48-inch ATP Stone Guard
- Stainless Steel Door Hardware
- LED Lighting Inside and Out
- Aluminum Side Vents
- Bull-nose Front End Standard (Wedge Available)
- White Aluminum Interior Walls
- 6,000 lb. Triple Axles on 22 through 28-foot, 7,000 Lb. Triple Axles on 28 Through 34-foot Models
- 2-year Hydraulic Warranty
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/viper

RAPTOR

* * * POPULAR * * * STANDARD FEATURES

- Seamless Aluminum Flat Top Roof
- 2 5/16" Gooseneck Coupler
- Dual Post Manual Dual-Speed Landing
- Framed for Roof Vent
- [1] Pair Plastic Flo-Thru Vents
- ATP Fenders
- Brite Anodized Front Corners
- (2) 12V LED Dome Lights with Switch
- LED Strip Taillights
- 5000# Rated Ramp Door
- Stainless Steel Door Hardware
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/raptor



Leading in style and quality, our Raptor gooseneck trailers give you a choice of sizes and towing capacities along with the best list of standard features. The Raptor gooseneck models come standard with flat roof and tapered front upper deck for short bed trucks. All tube frame construction allows for more security hauling of your precious cargo.

The Raptor gooseneck is the best-built, value packed model on the market.



* * * HIGHLIGHTS * * *

| | 7x20 TA2 | 7x24 TA2 | 7x28 TA2 | 7x32 TA2 | 8.5x22 TA3 | 8.5x26 TA3 | 8.5x30 TA3 | 8.5x34 TA3 | 8.5x38 TTA3 | 8.5x40 TTA3 |
|----------------------------|----------|----------|----------|----------|------------|------------|------------|------------|-------------|-------------|
| Overall Length | 20'-6" | 24'-6" | 28'-6" | 32'-6" | 22'-6" | 26'-6" | 30'-6" | 34'-6" | 38'-6" | 40'-6" |
| Overall Width | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 8'-5" | 8'-5" | 8'-5" | 8'-5" | 8'-7" | 8'-7" | 8'-7" | 8'-7" | 8'-8" | 8'-8" |
| Platform Height** | 20 1/2" | 20 1/2" | 20 1/2" | 20 1/2" | 23" | 23" | 23" | 23" | 24" | 24" |
| Interior Height | 6'-6" | 6'-6" | 6'-6" | 6'-6" | 6'-6" | 6'-6" | 6'-6" | 6'-6" | 6'-6" | 6'-6" |
| Interior Main Floor Length | 11'-10" | 15'-10" | 19'-10" | 23'-10" | 13'-10" | 17'-10" | 21'-10" | 25'-10" | 29'-10" | 31'-10" |
| Interior Width | 81" | 81" | 81" | 81" | 96" | 96" | 96" | 96" | 96" | 96" |
| Payload Capacity | 3780 | 3400 | 3015 | 2575 | 5888 | 5510 | 5100 | 4335 | 9118 | 9090 |

^{*} Overall height does not include roof vents or A/C. Please add 4" for roof vents & 13" for A/C's.

^{**} Platform height drops 4" with 48" beavertail and drops 5" with 72" beavertail.

^{***}The above represents our most popular models. See your Stealth dealer to order custom sizes.

PREDATOR BLACKHAWK PACKAGE APACHE UTV PACKAGES SNOWMOBILE, MOTORCYCLE, ATV & UTV TRAILERS Stealth Trailers Notice: Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers warrant appliances and other components. 13

Stealth Enterprises, LLC — © Sept. 2019 Printed in U.S.A.



THIS JUST IN. Other Popular Sport Packages:

Chrome Package
UTV Cargo Package
UTV Cargo Plus Package
Seasonal Snow Packages (When Available)

* See Page 31 for more details

Blackhawk Package - Take It to the Limit.

- 1 Pair Rear Fold Down Stabilizer Jacks
- Motorcycle Wheel Chocks Included (1 for SA, 2 for TA)
- 5,000# Recessed Floor D-Rings Included (4 for SA, 8 for TA) Installed Per Motorcycle Setup
- 2-Tone Color with 4" Brite Divider Strip
- 12" Brite Anodized Aluminum Along Bottom C/S & R/S
- Brite Rear Hoop
- 12V LED Loading Light Above Rear Ramp
- ATP Transition Flap
- "Blackhawk" Logos





Look no further for an Aluminum framed snowmobile trailer. Stealth Predator models look better and last longer. Order your Predator in a variety of sizes for 2-place, 4 or even 6-place sled hauling.



SPECIFICATION

* * * HIGHLIGHTS* *

| | 7 x 17 TA | 7 x 19 TA | 7 x 23 TA | 7 x 25 TA | 7 x 27 TA | 7 x 29 TA | 8.5 x 17 TA | 8.5 x 21 TA | 8.5 x 25 TA | 8.5 x 29 TA |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|-------------|-------------|-------------|
| Overall Length | 19'-3" | 21'-3" | 25-3" | 27'-3" | 29'-3" | 31'-3" | 19'-3" | 23'-3" | 27'-3" | 31'-3" |
| Overall Width | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 7'-10" | 7'-10" | 7'-10" | 7'-10" | 7'-10" | 7'-10" | 8'-9" | 8'-9" | 8'-9" | 8'-9" |
| Platform Height** | 20" | 20" | 20" | 20" | 20" | 20" | 28 1/2" | 28 1/2" | 29 1/2" | 30 1/2" |
| Interior Height | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" |
| Interior Overall Length | 16'-7" | 18'-7" | 22'-7" | 24'-7" | 26'-7" | 28'-7" | 16'-7" | 20'-7" | 24'-7" | 28'-7" |
| Interior Width | 80" | 80" | 80" | 80" | 80" | 80" | 96" | 96" | 96" | 96" |
| Payload Capacity | 5480 | 5384 | 5120 | 5020 | 4978 | 4952 | 5475 | 5250 | 4819 | 4615 |

^{*}Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/Cs.



POPULAR STANDARD FEATURES

- Integrated Frame on 7' Wide Models
- 32" Stone Guard
- Side Door with RV Flush Lock & Bar Lock
- Directional Aluminum Sidewall Vents
- 2 5/16" Demco Coupler with 7,000# Drop Leg Jack
- (3) 12V Loading Lights, (1) Front, (2) Rear above Ramp Doors
- 16" O/C Tube Floors, Walls and Ceiling
- Hingeless Ramp Extensions
- Stainless Steel Freezer Locks on Front and Rear Ramp Doors
- White Vinyl Interior Walls and Ceiling with Colored Aluminum Cove Molding



COMPLETE DETAILS

stealthtrailer.com/predator

^{***}The above represents our most popular models. See your Stealth dealer to order custom sizes.

^{**}Platform height drops 4" with 48" beavertail and drops 5" with 72" beavertail.



STANDARD FEATURES

- Seamless Aluminum Roof
- (9) 1200# In-Floor Rope Ties (Surface Mounted)
- LED Marker Lights
- [1] Pair Plastic Sidewall Flo-Thru Vents
- Flat Top Roof with 5' Slanted Wedge
- [2] 12V LED Dome Light with Switch
- Aluminum Door Holdback
- Heavy-Duty 3" Extruded Bottom Trim
- 16" ATP Stone Guard
- 7-Way Electrical Plug
- Stainless Steel Door Hardware
- Limited 3-Year Structural Warranty



COMPLETE DETAILS

stealthtrailer.com/apache



With the Apache, we engineered the ultimate aluminum snowmobile trailer at a more affordable price. We've provided more room for loading and securing sleds, rugged construction, smart aesthetics and snowmobiler-friendly standards and options found nowhere at this price point. Circle your sleds around an Apache, and ride with Stealth's quality reputation at a better price.



SPECIFICATION

| | 7 x 17 TA | 7 x 19 TA | 7 x 21 TA | 7 x 23 TA | 7 x 27 TA | 7 x 29 TA | 8.5 x 17 TA | 8.5 x 19 TA | 8.5 x 25 TA | 8.5 x 29 TA |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|-------------|-------------|-------------|
| Overall Length | 19'-3" | 21'-3" | 23-3" | 25-3" | 29'-3" | 31'-3" | 19'-3" | 21'-3" | 27'-3" | 31'-3" |
| Overall Width | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" |
| Overall Height* | 7'-10" | 7'-10" | 7'-10" | 7'-10" | 7'-10" | 7'-10" | 8'-9" | 8'-9" | 8'-9" | 8'-9" |
| Platform Height** | 20" | 20" | 20" | 20" | 20" | 20" | 29 1/2" | 29 1/2" | 29 1/2" | 29 1/2" |
| Interior Height | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" | 6'-0" |
| Interior Overall Length | 16'-7" | 18'-7" | 20'-7" | 22'-7" | 26'-7" | 28'-7" | 16'-7" | 18'-7" | 24'-7" | 28'-7" |
| Interior Width | 80" | 80" | 80" | 80" | 80" | 80" | 96" | 96" | 96" | 96" |
| Payload Capacity | 5630 | 5524 | 5402 | 5270 | 5170 | 5102 | 5625 | 5520 | 4970 | 4765 |

^{*} Overall height does not include roof vents or A/C. Please add 4" for roof vents and 13" for A/Cs.

^{***}The above represents our most popular models. See your Stealth dealer to order custom sizes.

^{**} Platform height drops 4" with 48" beavertail and drops 5" with 72" beavertail.

PHANTOM II PHANTOM I

Stealth Trailers Notice:

Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers 17 warrant appliances and other components.

PHANTOMIT PHANTOMIT

* * * POPULAR * * *

STANDARD FEATURES

PHANTOM I

- 2"x 5" Double Hollow Tubular Aluminum—Tongue, Frame and Rails
- (4) 5000# D-Rings
- ATP Removable Fenders
- 7-Way Electrical Plug
- (2) Fold Down Rear Stabalizer Jacks
- 2" x 6" Treated, Cedar Toned Lumber Deck
- Stake Pockets Along Both Sides
- Limited 3-Year Structural Warranty

PHANTOMII

- 2"x 5" Tubular Aluminum Main Frame
- (4) 5000# D-Rings (1 Each Corner)
- ATP Fenders
- 4-Way Electrical Plug on SAs
- 7-Way Electrical Plug on TAs
- LED Marker Lights
- 2" x 6" Treated, Cedar Toned Lumber Deck
- 12"H Tubular Railing
- Limited 3-Year Structural Warranty

COMPLETE DETAILS

stealthtrailer.com/phantom

PHANTOMES PHANTOMES

The Phantom series trailers are a superior quality, affordable, aluminum-framed open trailer for a variety of hauling. Whether it's a lawn tractor and you need an agile utility trailer, or you're headed out with an automobile or UTV, Stealth has been manufacturing better looking, more functional and longer lasting open (utility) trailers from the start.





PHANTOM I

The Phantom I series is designated as our open auto hauler line. Lengths available include 18, 20, and 22-foot models.

Tie-downs, side ramps, or flooring options are available to meet your needs. Trust your auto hauling to Stealth's reputation for quality.

PHANTOM II

Great looks and function without the high price of some smaller allaluminum open trailers is the signature of the Phantom II.

Phantom II models are designed for a variety of rugged hauling uses. Sturdy construction, lightweight and easy to tow, Stealth provides a 3-year warranty to keep you hauling with peace of mind.

SPECIFICATION

| * * * #16#16#15 * | | HANTOM | 1 1 | | PHANTOM II | | | | | | | | |
|-------------------------|-----------|-----------|-----------|----------|------------|-------------|-------------|-------------|-------------|-------------|--|--|--|
| | 7 x 16 TA | 7 x 18 TA | 7 x 20 TA | 5 x 8 SA | 5 x 10 SA | 6.5 x 10 SA | 6.5 x 12 SA | 6.5 x 14 TA | 6.5 x 18 TA | 6.5 x 20 TA | | | |
| Overall Length | 20'-0" | 22'-0" | 24'-0" | 11'-6" | 13'-6" | 13'-6" | 15'-6" | 17'-6" | 21'-6" | 23'-6" | | | |
| Overall Width | 102" | 102" | 102" | 80" | 80" | 98" | 98" | 98" | 98" | 98" | | | |
| Overall Height* | 31" | 31" | 31" | 5'-7" | 5'-7" | 5'-7" | 5'-7" | 5'-7" | 5'-7" | 5'-7" | | | |
| Platform Height | 18" | 18" | 18" | 19" | 19" | 19" | 19" | 19" | 19" | 19" | | | |
| Interior Height | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | | |
| Interior Overall Length | 16'-0" | 18'-0" | 20'-0" | 8'-0" | 10'-0" | 10'-0" | 12'-0" | 14'-0" | 18'-0" | 20'-0" | | | |
| Interior Width** | 80" | 80" | 80" | 60" | 60" | 78" | 78" | 78" | 78" | 78" | | | |
| Payload Capacity | 5610 | 5500 | 5390 | 2440 | 2385 | 2290 | 2240 | 5975 | 5750 | 5670 | | | |

^{*}Overall height is to top of removable fenders.

^{***}The above represents our most popular models. See your Stealth dealer to order custom sizes.

^{**} Interior width is reduced to 78" with 5200# axle upgrade.

BBQ/CONCESSIONS | LANDSCAPE/CONSTRUCTION | MOBILE OFFICE/FLEET | LAW ENFORCEMENT/MUNICIPLE



Stealth Trailers Notice:

Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers warrant appliances and other components. 19

* POPULAR* * *

WE KNOW BBQ AND CONCESSIONS!

Don't let smoke get in your eyes—this is just our basic BBQ package!

- •8" Main Frame Upgrade w/2x5 Tube Crossmember
- 12" O/C Floor Crossmembers in Rear Porch Area
- •4', 6', or 8' Rear Porch Open on 3 sides at Rear
- •32" Economy RV Door at Rear Porch Wall
- White Aluminum Ceiling Liner (Rear Porch)
- •Scorpion Coated Floor (Rear Porch)
- Marble Vinul Floor (Main Interior Floor)
- 4' x 8' Concession Window (Need Configuration) - Tempered Glass, Screen, & Vending Door
- (1) 12"W Exterior Detachable Aluminum Countertop
- Roof Vent with Prep & Wire for A/C
- (2) Fold Down Rear Stabilizer Jacks
- [2] 4" Aluminum Door Holdbacks
- RV Style Pull Out Step (For Side Door)
- •White Vinul Walls (IPO 3/8" Drymax)
- White Vinyl Ceiling Liner (w/Colored Aluminum Cove Moulding)
- •Insulated Sidewalls & Insulated Ceiling
- •(3) Total LED Dome Lights w/(2) 3-Way 12V Switches
- 12V Marine Battery w/Box on Tongue
- 50 Amp Panel Box w/50' Motorbase Plug & Twistlock Cord
- [4] Interior GFI Receptacles
- •(2) 110V 4' LED Lights
- [1] 110V Exterior 4' Fluorescent Light on Porch w/Switch
- [2] 110V Exterior GFI Receptacles
- •Smoke / CO Detector

CONCESSION TRAILERS - SERVING UP SUCCESS.

From any size to meet your service demands, a variety of frame and height combinations, to wide varieties of concession windows with tempered glass and screens, to marquee windows and corner pies to attract more customers, let Stealth help build your business.









CONSTRUCTION AND WORK - WE ARE ON THE JOB

Stealth Trailers work as hard as they play. Customize a trailer to meet your exact requirements.









* * * POPULAR* * *

STEALTH TRAILERS AT WORK.

CONTRACTOR'S PACKAGE

- Requires 5200# Axles Minimum
- 1/4" Wall Main Frame & A-Frame Tubes
- 12" O/C Steel Tube Floor Crossmembers
- Full Height Outriggers
- 16" O/C 1x2 Steel Tube Wall Posts
- •60" Triple Tube Tongue (60" from Zero Point to Ball)
- 2-5/16" Adjustable Coupler with 7,000# Drop Leg Jack
- •(3) Aluminum Ladder Roof Racks (Evenly Spaced)
- Removable Front Ladder (Centered on Nose or on C/S Wedge)
- •ATP Full Height Behind Ladder
- ATP Cover on A-Frame Under Ladder
- •1 Pair Upgraded Aluminum Salem Vents, (1 on R/S-Front High, 1 on C/S Rear Low)
- (2) Upgraded 11" 12V Deluxe LED Dome Lights (Centered and Evenly Spaced)
- (2) 3way 12V Switches (1 Inside Side Door, 1 Inside Rear Door on C/S Wall)

BASIC LANDSCAPE PACKAGE

- •60" Triple Tube Tongue (60" from Zero Point to Ball)
- 1 Pair Upgraded Aluminum Salem Vents, (1 on R/S-Front High, 1 on C/S Rear Low)
- (2) 14" x 14" Roof Vents (Centered & Evenly Spaced)
- 3/4" x 12" Tall Drymax Kick Plate at Base of R/S, C/S & Front Walls
- 3/4" Drymax Floor or Treated Plywood Floor
- (8) 1,200# Recessed Wall Rope Ties, 4 Each Side and Evenly Spaced (36" AFF) Above Finished Floor
- (2) Total Ramp Door Grab Handles (1 on Left Side, 1 on Right Side of Door)
- (2) 12V 3way Switches (1 Inside Side Door, 1 Side Rear Door on C/S Wall)

* POPULAR* *

MOBILE OFFICE / FLEET TRAILERS

Let Stealth Trailers customize a mobile office solution for your company. From mobile construction headquarters, to emergency response, communications and logistics centers, Stealth has the platform to meet your demands.

Fleet trailers with the same features and options are contracted by Stealth for any use from fiber optics repair to food service. Commitment to multiple trailers run on the Stealth manufacturing assembly line will reduce your cost.

















* * * POPULAR* * *

LAW ENFORCEMENT/ MUNICIPAL

From SWAT trailers and command centers, to EMT, military and community affairs and special project configurations, Stealth Trailers can engineer and build the trailer to serve and protect.

Stealth designs trailers for municipal, city and town maintenance, road crews and fire departments. Contact Stealth at: www.stealthtrailers.com for more details.



ROOF LADDER RACK - Welded, tubular aluminum ladder racks come in a variety of sizes to accommodate any size trailer or load.



FRONT DECK WITH LADDER - This sturdy front deck with ladder provides easy access to roof ladder racks—safer and more convenient.



SPARE TIRE MOUNT - Always handy, this spare tire mount keeps a full sized tire ready for repair.



CUSTOM WHEELS AND TIRES - Option for a variety of custom wheels and tire sizes to meet your style and utility demands.



EXTENDED TUBE TONGUE - Tongue extensions are available to accommodate specialty tow vehicles.



OPTION THE PERFECT COUPLER - Choose from Pintle-eye, Bull Dog, Demco and adjustable couplers to meet your service demands.



CUSTOM SIDEWALLS - This mobile medical trailer features clear Lexan sidewalls to allow for ambient light. Talk to your Stealth dealer about custom sidewalls.



RAMP DOORS - Stealth engineers a ramp door to meet your needs—work or play.



CONCESSIONS VENDOR WINDOWS - Sliding, automotive glass concession/vendor windows are available in a variety of sizes with or without screens.



GENERATOR DOORS - Lockable generator doors give shelter and security for on-board power with ample ventilation.



ROOFTOP ESCAPE HATCH - This escape hatch comes with a quick release push and optional aluminum ladder. The hatch also serves as a skylight and operable air vent.



DOUBLE SIDE-ENTRY DOORS - Double-side entry doors expand the access to the interior of your trailer 120" or more if needed.




MARQUEE DOORS WITH PIES - Optimum foot traffic and maximum sign space makes your Stealth Trailer a traveling moneymaker. Swing-up doors with pies lock easily and solidly in place.



ROLL UP DOOR - This multi-panel, track-mounted roll-up door combines the ease of spring-assisted action, with Stealth construction and durability.



ENCLOSED LANDING GEAR COMPARTMENT WITH ATP - Our ATP-faced landing gear compartment with flush lock latches and baggage doors are a perfect place for tools, baggage and emergency road equipment.



RECESSED TIRE COMPARTMENT - Large enough for a full-size spare trimmed to match trailer floor.



FUEL DOORS - Fuel doors are a common option for snowmobile, ATV, motorcycle and landscape trailers, fuel doors make re-fueling easy.



CUSTOM ALUMINUM CABINETRY - Stealth custom cabinetry is available in dozens of configurations for mechanics shops to mobile office space.



BASEBOARD HEATING SYSTEM - A must for the year-round roving workshop. The self-contained unit comes with an optional adjustable thermostat control or wall-mount thermostat.



CUSTOM FLOORING - Choose from a variety of custom flooring materials that include checkered flag vinyl, or non-skid ATP plating (ramp-over wheel wells shown here)... and more.



CUSTOM INTERIORS - Choose a combination that provides the best environment for your work or play needs.



ROOF AIR CONDITIONING - This roof mounted airconditioning unit has directional vents, variable temperature knob, and three-position cool and fan.



TRANSLUCENT ROOFING- An easy solution to light inside of the trailer during the working day—a common option for enclosed construction and landscape trailers.



EGRESS WINDOWS - Egress windows are perfect for both ventilation and meeting code for trailers with sleeping accommodations.



ALUMINUM DIRECTIONAL VENT - Ventilation is an important safety and health consideration. This all aluminum 2-way sidewall vent allows you to control airflow.



MAXXAIR VENT- Choose this vent cover to prevent leaks and leave open while driving.




POWERED ROOF VENT - Our roof vents feature a hand crank and come powered with full screen and translucent cover.



PASSIVE ROOF VENT - These vents can be configured to scoop or draw air into the trailer and include crank handles and screens.



E-TRACK WALL & FLOOR TIE DOWNS - Flush-mount E-Track tie-downs are mounted to any point that you specify on the interior wall or floor of your trailer.



D-RING WALL & FLOOR TIE DOWNS - Both floor and wall D-Ring tie-downs use a hinged ring design that folds out of the way when not in use.



HEAVY DUTY JACK - This fixed-mount heavy duty jack is installed to take the maximum load on its oversized foot.



5,000 LB SCISSOR JACKS - Steady footing; optimal weight distribution and an extended crank handle all come with this heavy-duty accessory.



12-VOLT POWERED TONGUE JACK - This power jack makes hooking up to heavy-trailers as easy as the push of a button.




12-VOLT POWER WINCH - Add this 12-volt powered winch system to the floor of your transporter for maximum safety when handling valuable cars and heavy equipment.



MOTORCYCLE WHEEL CHOCKS - Wheel chocks are easily removable—opt for the flush-mounted in-floor steel models. Condor Chocks also available.



AUXILARY OUTLETS - Stealth can customize wiring with hookups and outlets to provide the service you prefer.



ELECTRICAL OUTLETS - Have your trailer custom wired to your specifications. Choose from 110V, 110V interior and exterior GFIs, USB and 15, 30 or 50 Amp shore power.



EXTERIOR LIGHTING - From powerful halogen floods, to our two types of high-efficiency scene lighting.



INTERIOR LIGHTING - Interior LED lighting options include domes, strips and diffused fixtures.



ELECTRICAL SERVICE - Choose from 15, 30, 50 Amp service with a wide array of lighting and power outlets. Shown here, a 45 Amp RV service to handle accessories.



POWER OR MANUAL AWNINGS - Optional awnings, available in 8' to 25', maximize your comfort outside work or play.



GENERATORS - Order your Cummins/Onan generator from Stealth in gas, LP or diesel in a wide variety of power choices.

CUSTOM PACKAGES





CUSTOMIZED CONFIGURATIONS FOR CONTRACTORS





CAR HAULER PACKAGES TAILORED TO YOUR NEEDS

EE YEAR LIMITED STRUCTURAL WARRANTY

INITIAL RETAIL PURCHASER

Stealth Trailers warrants to the original owner that your trailer will be free from structural defects in materials and workmanship for period of 1 or 3 years from retail purchase providing all conditions have been met. The warranty obligation consists of and is limited to repairing and replacing any part, or parts, which in the opinion of the factory are defective under normal use during the 1 or 3 year period, starting at the date of retail purchase.

ONE YEAR SPECIFIC ITEM LIMITED WARRANTY

- Windows • Electrical Components Doors
 - Plumbing Components
- Paint & Undercoat Seals & Sealants
- Locks • Aluminum Components
- Exterior Corrosion

ITEMS NOT WARRANTED BY STEALTH TRAILERS THAT ARE COVERED UNDER COMPONENT PARTS MANUFACTURER'S WARRANTY (INCLUDED IN OWNER'S PACKET)

- Tires • Light Fixtures
- Axles Jacks
- Plywood
- Fiberglass Parts

Microwaves

- Windows
- Couplers Furnace Air Conditioners
- Hoist

- Winches Water Heaters
- Refrigerators
- Concession Windows

• TV & Radio Generators

Wheels

EXPLICIT WARRANTY EXCLUSIONS - ITEMS NOT COVERED BY LIMITED WARRANTY

- 1. Deterioration of paint and appearance due to use and exposure.
- 2. Tow Vehicle wear, wiring and improper hitch usage.
- 3. Damage caused by loose screws, nuts, lug nuts and bolts. It is the owner's responsibility to maintain proper tightness.
- 4. Damage or deterioration caused by salt, road grime, normal wear and tear, application of or exposure to corrosive chemicals, other corrosive materials (including, but without limitation, magnesium chloride or calcium chloride), or arising from an accident or use of the product. Stealth Trailers reserves the right to test individual parts for exposure to these materials; these materials are extremely corrosive to all metals. Damages arising from exposure to them is not covered by this warranty.
- 5. Damage caused by misuse, overloading, negligence, alteration or failure to provide necessary repairs and maintenance on an "as needed"
- 6. Stealth Trailers will not pay for lost revenue, cost of cargo, rental of substitute equipment, towing charges, cost of service calls, cost related to delivering trailer to dealer or Stealth Trailers for warranty repairs or cost of work done by others or inconvenience.
- 7. Stealth Trailers will not be responsible for any aftermarket accessories, graphics, company logos, or any artwork that has been added to the interior or exterior of trailer.
- 8. This warranty will be voided by any repair or modification to the trailer, or addition of accessories to the trailer by anyone other than Stealth Trailers or an authorized Stealth dealer. The manufacturer will not be responsible for work performed by a non-Stealth dealer or service center, unless manufacturer gives prior written authorization.

ANY EXPRESS WARRANTY NOT PROVIDED HEREIN, AND ANY REMEDY FOR BREACH OF CONTRACT WHICH BUT FOR THIS PROVISION MIGHT ARISE BY IMPLICATION OR OPERATION OF LAW, IS HEREBY EXCLUDED AND DISCLAIMED. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR ANY PARTICULAR PURPOSE ARE EXPRESSLY LIMITED TO A TERM OF ONE (1) YEAR. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. UNDER NO CIRCUMSTANCES SHALL STEALTH TRAILERS BE LIABLE TO PURCHASER OR ANY OTHER PERSON FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER ARISING OUT OF BREACH OF WARRANTY OR BREACH OF CONTRACT. SOME STATES DO NOT ALLOW THE EXCLUSION LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

WARRANTY VALIDATION

A warranty registration card must be completed and signed by Purchaser at the time of retail sale and mailed direct to the factory within 10 days from the date of sale. This is a federal requirement. Failure to fill out the registration card and return it within the above period will automatically void the warranty. The warranty is nontransferable from the original owner.

HOW TO OBTAIN SERVICE

Fax or mail a written description of the service problem you are having to:

Stealth Trailers • 910 Maple St, Bristol IN 46507 FAX# 574-848-5901

You must include a good address and telephone number and the serial number of your trailer. Our customer service representative will mail you instructions on how to proceed with having your trailer repaired. For emergency repairs, we will contact you by phone.

VISIT stealthtrailer.com AND SEE OUR ENTIRE FLEET OF TRAILERS.

STEALTH TRAILERS NOTICE:

Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers warrant appliances and other components.

Stealth Enterprises, LLC — © Sept. 2019 Printed in U.S.A.

OUR MISSION IS CLEAR

The goal at Stealth has always been and always will be to deliver more value to you, the customer. We engineer and construct the very best trailers, and offer an extensive variety of customizable options to adapt to any purpose you may have in mind.





910 Maple Street / Bristol, IN 46507 / (866) 886-5757 stealthtrailer.com

YOUR LOCAL STEALTH DEALER: